

Bearings are magnetic Distances in metres Elevation in ft AMSL Coordinates WGS 84	AFIS 119.100	AD ELEV 522	CROTONE	
		APRON N ELEV 523		
		APRON S ELEV 518	L I B C	38°59'48" N


APRON N			APRON S		
lighting	bearing	strength	lighting	bearing	strength
Edge: Blue	PCN 47/R/B/X/T Concrete sqm 18730		Edge: Blue	PCN 53/F/B/X/T Asphalt sqm 15900	
	PCN 44/F/B/X/T Asphalt sqm 17600				
POINTS			POINTS		
STANDS	N	E	STANDS	N	E
4	38°59'47"	017°04'37"	1	38°59'40.9"	017°04'40.2"
5	38°59'49"	017°04'37"	2	38°59'42.4"	017°04'39.8"
6	38°59'51"	017°04'36"	3	38°59'44.1"	017°04'39.5"
7	38°59'54"	017°04'35"			



Annual rate of change 4'E

Apron N and S stands are marshalling assisted

CHANGE: Updated chart



* LIGHT POLES COORDINATES (WGS 84)

	N	E
NEAR AIR TERMINAL - HGT 18M AGL		
1	38°59'40.8"	017°04'39.3"
2	38°59'43.9"	017°04'38.3"
WEST EDGE OF APRON - HGT 22M AGL		
1	38°59'47.5"	017°04'36.1"
2	38°59'49.7"	017°04'35.8"
3	38°59'51.9"	017°04'32.2"
4	38°59'54.6"	017°04'34.4"

Taxiways	Aircraft compatibility
TWY B	MAX WING SPAN 36
APN TWY T	MAX WING SPAN 36

